ELSEVIER

Gene 183 (1996) 267–269

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 183 (1996)

Alpatov, O.V., see Gaidamakova, E.K. (183) 97
Al Rashid, S.T., see Bourke, B. (183) 219
Andersen, A.S., see Kjeldsen, T. (183) 265
Anic, S., see Bäumler, A.J. (183) 207
Azakami, H., see Yumoto, H. (183) 115

Baez, J.M., see Chen, G. (183) 41
Balestrazzi, A., Toscano, I., Bernacchia, G., Luo, M., Otte, S. and Carbonera, D.
Cloning of a cDNA encoding DNA topoisomerase I in *Daucus carota* and expression analysis in relation to cell proliferation (183) 183
Bartlett, J.D., Simmer, J.P., Xue, J., Margolis, H.C. and Moreno, E.C.
Molecular cloning and mRNA tissue distribution of a novel matrix metalloproteinase isolated from porcine enamel organ (183) 123
Baumberg, S., see Ross, J.I. (183) 143
Bäumlein, H., see Kirik, V. (183) 109
Bäumler, A.J., Tsolis, R.M., van der Velden, A.W.M., Stojiljkovic, I., Anic, S. and Heffron, F.
Identification of a new iron regulated locus of *Salmonella typhi* (183) 207
Ben-Porath, I. and Benvenisty, N.
Characterization of a tumor-associated gene, a member of a novel family of genes encoding membrane glycoproteins (183) 69
Bender, C.L., see Penfold, C.N. (183) 167
Benvenisty, N., see Ben-Porath, I. (183) 69
Bernacchia, G., see Balestrazzi, A. (183) 183
Bingham, H.L., see Bourke, B. (183) 219
Blin, N., see Pusch, C. (183) 29
Boemare, N., see Givaudan, A. (183) 243
Bourke, B., Al Rashid, S.T., Bingham, H.L. and Chan, V.L.
Characterization of *Campylobacter upsaliensis fur* and its localization in a highly conserved region of the *Campylobacter* genome (183) 219
Brandt, J., see Kjeldsen, T. (183) 265

Camp, R.R., see Morgan, R.D. (183) 215
Carbonera, D., see Balestrazzi, A. (183) 183
Cardelli, J.A., see Temesvari, L.A. (183) 47
Chan, V.L., see Bourke, B. (183) 219
Chang, B.-D. and Roninson, I.B.
Inducible retroviral vectors regulated by *lac* repressor in mammalian cells (183) 137
Chen, G., Baez, J.M. and Steinberg, M.L.
Integration of the SV40 promoter/enhancer sequences in an anchorage-independent clonal subline of SV40-infected human keratinocytes (183) 41
Cheng, J.-C., Shao, C.-P. and Hor, L.-I.
Cloning and nucleotide sequencing of the protease gene of *Vibrio vulnificus* (183) 255
Corthier, G., see Renault, P. (183) 175
Couble, P., see Mangé, A. (183) 191
Cove, J.H., see Ross, J.I. (183) 143

Debouck, C., see Towler, E.M. (183) 259
Delorme, C., see Renault, P. (183) 175
DeMille, M.M.C., Kimmel, B.E. and Rubin, G.M.
A *Drosophila* gene regulated by *rough* and *glass* shows similarity to *ena* and *VASP* (183) 103
Dunn, I.S.
Total modification of the bacteriophage lambda tail tube major subunit protein with foreign peptides (183) 15

Eady, E.A., see Ross, J.I. (183) 143
Ebisu, S., see Yumoto, H. (183) 115
Egel-Mitani, M., see Kjeldsen, T. (183) 265
Ehrlich, S.D., see Renault, P. (183) 175

Faustoferri, R.C., see Smith, A.J. (183) 87
Fox, G.E., see Setterquist, R.A. (183) 237

Gaidamakova, E.K., Alpatov, O.V., Ischenko, I.V., Kovalenko, S.P. and Lyakhovich, V.V.
Phenobarbital-dependent protein binding to Barbie box-like sequences in the coding region of cytochrome $P450_{BM-3}$ gene from *Bacillus megaterium* (183) 97
Gasson, M.J., see Griffin, A.M. (183) 23
Givaudan, A., Lanois, A. and Boemare, N.
Cloning and nucleotide sequence of a flagellin encoding genetic locus from *Xenorhabdus nematophilus*: phase variation leads to differential transcription of two flagellar genes (*fliCD*) (183) 243
Gött, P., see Pusch, C. (183) 29
Goupil, N., see Renault, P. (183) 175
Griffin, A.M., Morris, V.J. and Gasson, M.J.
The *cpsABCDE* genes involved in polysaccharide production in *Streptococcus salivarius* ssp. *thermophilus* strain NCBF 2393 (183) 23

Haasch, D., see Zhang, H. (183) 1
Hach, M., see Kjeldsen, T. (183) 265
Hansen, E.J., see Stevens, M.K. (183) 35
Hassett, D.J., see Stevens, M.K. (183) 35
Hatfull, G.F., see Pearson, R.E. (183) 129
Heffron, F., see Bäumler, A.J. (183) 207
Hor, L.-I., see Cheng, J.-C. (183) 255
Hsu, S.-C., see Pevsner, J. (183) 7
Huber, M., see Kuhstoss, S. (183) 231
Hyde, P.S., see Pevsner, J. (183) 7

Idler, K.B., see Zhang, H. (183) 1
Inouye, M., see Ueki, T. (183) 153
Inouye, S., see Ueki, T. (183) 153
Ischenko, I.V., see Gaidamakova, E.K. (183) 97

Jacobs, W.R., Jr., see Pearson, R.E. (183) 129
Jurgensen, S., see Pearson, R.E. (183) 129

Kimmel, B.E., see DeMille, M.M.C. (183) 103
Kirik, V. and Bäumlein, H.
A novel leaf-specific *myb*-related protein with a single binding repeat (183) 109
Kjeldsen, T., Brandt, J., Andersen, A.S., Egel-Mitani, M., Hach, M., Pettersson, A.F. and Vad, K.
Corrigendum to: 'A removable spacer peptide in an α-factor-leader/insulin precursor fusion protein improves processing and concomitant yield of the insulin precursor in *Saccharomyces cerevisiae*' [Gene 170 (1996) 107–112] (183) 265
Kolb, A.F. and Siddell, S.G.
Genomic targeting with an MBP-Cre fusion protein (183) 53
Kovalenko, S.P., see Gaidamakova, E.K. (183) 97
Kuhstoss, S., Huber, M., Turner, J.R., Paschal, J.W. and Rao, R.N.
Production of a novel polyketide through the construction of a hybrid polyketide synthase (183) 231

Lanois, A., see Givaudan, A. (183) 243
Lee, Y.-H., see Setterquist, R.A. (183) 237
Lübben, M., see Surpin, M.A. (183) 201
Luo, M., see Balestrazzi, A. (183) 183
Lyakhovich, V.V., see Gaidamakova, E.K. (183) 97

Mackinlay, A.G., see Nassif, N.T. (183) 225
Maduro, M. and Pilgrim, D.
Conservation of function and expression of *unc-119* from two *Caenorhabditis* species despite divergence of non-coding DNA (183) 77
Maier, R.J., see Surpin, M.A. (183) 201
Mangé, A., Couble, P. and Prudhomme, J.-C.
Two alternative promoters drive the expression of the cytoplasmic actin *A4* gene of *Bombyx mori* (183) 191
Marasco, R., Varcamonti, M., Ricca, E. and Sacco, M.
A new *Bacillus subtilis* gene with homology to *Escherichia coli prc* (183) 149
Margolis, H.C., see Bartlett, J.D. (183) 123
Matsuo, T., see Yumoto, H. (183) 115
Moreno, E.C., see Bartlett, J.D. (183) 123
Morgan, R.D., Camp, R.R., Wilson, G.G. and Xu, S.-y.
Molecular cloning and expression of *Nla*III restriction-modification system in *E. coli* (183) 215
Morris, V.J., see Griffin, A.M. (183) 23
Müllenbach, R., see Pusch, C. (183) 29

Nakae, H., see Yumoto, H. (183) 115
Nassif, N.T. and Mackinlay, A.G.
Detection and characterization of two novel hypervariable microsatellite repeat regions within intron 2 of the α-globin gene of the bivalve mollusc *Anadara trapezia* (183) 225
Nolan, T. and Rosamond, J.
Isolation and molecular characterisation of the *POL3* gene from *Candida albicans* (183) 159

Oakley, T.H., see Setterquist, R.A. (183) 237
Okasinski, G.F., see Zhang, H. (183) 1
Otte, S., see Balestrazzi, A. (183) 183

Paschal, J.W., see Kuhstoss, S. (183) 231
Pattus, F., see Trieschmann, M.D.A. (183) 61
Pearson, R.E., Jurgensen, S., Sarkis, G.J., Hatfull, G.F. and Jacobs, W.R., Jr.
Construction of D29 shuttle phasmids and luciferase reporter phages for detection of mycobacteria (183) 129
Penfold, C.N., Bender, C.L. and Turner, J.G.
Characterisation of genes involved in biosynthesis of coronafacic acid, the polyketide component of the phytotoxin coronatine (183) 167
Pettersson, A.F., see Kjeldsen, T. (183) 265
Pevsner, J., Hsu, S.-C., Hyde, P.S. and Scheller, R.H.
Mammalian homologues of yeast vacuolar protein sorting (*vps*) genes implicated in Golgi-to-lysosome trafficking (183) 7
Pilgrim, D., see Maduro, M. (183) 77
Prudhomme, J.-C., see Mangé, A. (183) 191
Pusch, C., Müllenbach, R., Gött, P., Schmitt, H., Wang, Z., Roe, B. and Blin, N.
Cosmid-derived transcripts and sequence tags mapped to three subregions of human chromosome 22 (183) 29

Quivey, R.G., Jr., see Smith, A.J. (183) 87

Radolf, J.D., see Stevens, M.K. (183) 35
Rao, R.N., see Kuhstoss, S. (183) 231
Renault, P., Corthier, G., Goupil, N., Delorme, C. and Ehrlich, S.D.
Plasmid vectors for Gram-positive bacteria switching from high to low copy number (183) 175
Ricca, E., see Marasco, R. (183) 149
Roe, B., see Pusch, C. (183) 29
Roninson, I.B., see Chang, B.-D. (183) 137
Rosamond, J., see Nolan, T. (183) 159
Ross, J.I., Eady, E.A., Cove, J.H. and Baumberg, S.
Minimal functional system required for expression of erythromycin resistance by *msrA* in *Staphylococcus aureus* RN4220 (183) 143
Rubin, G.M., see DeMille, M.M.C. (183) 103

Sacco, M., see Marasco, R. (183) 149
Sarkis, G.J., see Pearson, R.E. (183) 129
Scheller, R.H., see Pevsner, J. (183) 7
Schmitt, H., see Pusch, C. (183) 29
Seastone, D.J., see Temesvari, L.A. (183) 47
Setterquist, R.A., Smith, G.K., Oakley, T.H., Lee, Y.-H. and Fox, G.E.
Sequence, overproduction and purification of *Vibrio proteolyticus* ribosomal protein L18 for in vitro and in vivo studies (183) 237
Shao, C.-P., see Cheng, J.-C. (183) 255
Siddell, S.G., see Kolb, A.F. (183) 53
Simmer, J.P., see Bartlett, J.D. (183) 123
Smith, A.J., Quivey, R.G., Jr. and Faustoferri, R.C.
Cloning and nucleotide sequence analysis of the *Streptococcus mutans* membrane-bound, proton-translocating ATPase operon (183) 87
Smith, G.K., see Setterquist, R.A. (183) 237
Stebbins, J.W., see Towler, E.M. (183) 259
Steinberg, M.L., see Chen, G. (183) 41
Stevens, M.K., Hassett, D.J., Radolf, J.D. and Hansen, E.J.
Cloning and sequencing of the gene encoding the Cu,Zn-superoxide dismutase of *Haemophilus ducreyi* (183) 35
Stojiljkovic, I., see Bäumler, A.J. (183) 207
Surpin, M.A., Lübben, M. and Maier, R.J.
The *Bradyrhizobium japonicum coxWXYZ* gene cluster encodes a bb_3-type ubiquinol oxidase (183) 201

Tadros, M.H., see Trieschmann, M.D.A. (183) 61
Temesvari, L.A., Seastone, D.J. and Cardelli, J.A.
Cloning and characterization of a *Dictyostelium discoideum* cDNA encoding a protein related to the medium chain subunit of clathrin-associated adaptor complexes (183) 47
Toscano, I., see Balestrazzi, A. (183) 183
Towler, E.M., Stebbins, J.W. and Debouck, C.
A single vector cloning, mutagenesis and expression system (183) 259
Trieschmann, M.D.A., Pattus, F. and Tadros, M.H.
Molecular characterization and organization of porin from *Rhodobacter capsulatus* strain 37B4 (183) 61
Tsolis, R.M., see Bäumler, A.J. (183) 207

Turner, J.G., see Penfold, C.N. (183) 167
Turner, J.R., see Kuhstoss, S. (183) 231

Ueki, T., Inouye, S. and Inouye, M.
Positive-negative KG cassettes for construction of multi-gene deletions using a single drug marker (183) 153

Vad, K., see Kjeldsen, T. (183) 265
van der Velden, A.W.M., see Bäumler, A.J. (183) 207
Varcamonti, M., see Marasco, R. (183) 149

Wang, Z., see Pusch, C. (183) 29
Wilson, G.G., see Morgan, R.D. (183) 215

Xu, S.-y., see Morgan, R.D. (183) 215
Xue, J., see Bartlett, J.D. (183) 123

Yumoto, H., Azakami, H., Nakae, H., Matsuo, T. and Ebisu, S.
Cloning, sequencing and expression of an *Eikenella corrodens* gene encoding a component protein of the lectin-like adhesin complex (183) 115

Zhang, H., Haasch, D., Idler, K.B. and Okasinski, G.F.
Isolation and promoter mapping of the gene encoding murine co-stimulatory factor B7-1 (183) 1